EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(sort$3 list$3) with message with (queue log) with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L2	1	L1 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L3	1	L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L4	5	sort$3 with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L5	4	L4 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L6	4	L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L7	65	sort$3 with message with (queue log) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L8	30	L7 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L9	30	L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49

L10	26	XML with (run execut$3) with again	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L11	6	L10 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L12	6	L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L13	24	(sort$3) adj method with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L14	18	L13 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L15	18	L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:49
L16	5	sort$3 with type with recipient with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:50
L17	4	L16 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:50
L18	4	L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 17:50
S1	0	xml adj message with log same (P2P peer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 11:47

S2	69	xml adj message with (log queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 11:48
S3	23	S2 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 13:16
S4	0	sort$3 with (queue log) with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:33
S5	0	sort$3 with (queue log) with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 13:17
S6	4	sort$3 with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 13:17
S7	4	S6 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 14:31
S8	0	sort$3 with (queue log) with sender with recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 13:19
S9	52	sort$3 with message with sender with recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 13:18
S10	1	sort$3 with message with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 13:18
S11	4179	sort$3 with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 13:19

S12	228	sort$3 with message with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 13:20
S13	46	sort$3 with message with (queue log) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 13:20
S14	27	S13 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 12:43
S15	22	S9 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:35
S16	0	(sort$3 list$3) with message with (queue log) with sender with receipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:35
S17	0	(sort$3 list$3) with message with sender with receipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:34
S18	0	(sort$3 list$3) with message with sender with receipient with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:34
S19	29	(sort$3 list$3) with message with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:34
S20	1	(sort$3 list$3) with message with (queue log) with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:36
S21	1	S20 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:36

S22	0	(sort$3) with message with (queue log) with sender with recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:36
S23	11	(sort$3) with message with (queue log) with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:59
S24	0	S23 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:59
S25	0	(sort$3) adj method with message with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:59
S26	22	(sort$3) adj method with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:06
S27	22	(sort$3) adj method with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:59
S28	17	S27 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:06
S29	0	(sort$3) adj by with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:06
S30	2	(sort$3) adj by	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:06
S31	2	S30 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 12:42

S32	4	sort$3 with type with recipient with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 12:42
S33	4	S32 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 13:01
S34	8292	709/206,246,230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 13:02
S35	5	retrieving with message with (perform$3 execut $3) with again	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 14:31
S36	4	S35 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 14:51
S37	0	XML with retrieved with (run execut$3) adj2 again	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 14:51
S38	2	XML with (run execut$3) adj2 again	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 14:51
S39	0	S38 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 14:52
S40	4530	XML with (run execut$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 14:51
S41	23	XML with (run execut$3) with again	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 14:52

S42	5	S41 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 14:52
S43	0	xml adj message with log same (P2P peer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S44	89	xml adj message with (log queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S45	25	S44 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S46	0	sort$3 with (queue log) with sender with receipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S47	0	sort$3 with (queue log) with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S48	4	sort$3 with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S49	4	S48 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S50	0	sort$3 with (queue log) with sender with recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S51	58	sort$3 with message with sender with recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31

S52	1	sort$3 with message with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S53	4485	sort$3 with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S54	257	sort$3 with message with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S55	59	sort$3 with message with (queue log) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S56	27	S55 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S57	22	S51 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S58	0	(sort$3 list$3) with message with (queue log) with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S59	0	(sort$3 list$3) with message with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S60	0	(sort$3 list$3) with message with sender with recipient with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S61	33	(sort$3 list$3) with message with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31

S62	1	(sort$3 list$3) with message with (queue log) with sender with recipient with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S63	1	S62 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S64	0	(sort$3) with message with (queue log) with sender with recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S65	11	(sort$3) with message with (queue log) with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S66	0	S65 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S67	11	(sort$3) with message with (queue log) with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S68	0	(sort$3) adj method with message with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S69	24	(sort$3) adj method with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S70	24	(sort$3) adj method with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S71	17	S70 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31

S72	0	(sort$3) adj by with (queue log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S73	2	(sort$3) adj by	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S74	2	S73 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S75	4	sort$3 with type with recipient with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S76	4	S75 and @ad<"20020912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31
S77	8837	709/206,246,230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:31

5/19/08 5:50:26 PM
C:\ Documents and Settings\ awang2\ My Documents\ EAST\ Workspaces\ 10662889.wsp